



## FDNP.MH28713 Drinking Water System Components

[Page Bottom](#)

### Drinking Water System Components

[See General Information for Drinking Water System Components](#)

**CAMPBELL FITTINGS INC**  
301 S WASHINGTON AVE  
PO BOX 238  
BOYERTOWN, PA 19512 USA

MH28713

#### ANSI/NSF STANDARD 61

#### Pipes and Related Products

Trade Dsg	Water Contact Temp (°C)	Water Contact Mtl
Adapter Style CIMS (0.75-6in.) [Annex G]	23	Stainless Steel
Adapter Style FAB (0.5-4in.) [Annex G]	23	Red Brass
Adapter Style FAS (0.5-6in.) [Annex G]	23	Plated Steel
Adapter Style HAB (0.5-4in.) [Annex G]	23	Red Brass
Adapter Style HAGLS (0.5-12in.) [Annex G]	23	Steel
Adapter Style HAGLSS (0.5-12in.) [Annex G]	23	Stainless Steel
Adapter Style HAGPS (0.5-12in.) [Annex G]	23	Plated Steel
Adapter Style HAGS (0.5-12in.) [Annex G]	23	Steel
Adapter Style HAGSS (0.5-12in.) [Annex G]	23	Stainless Steel
Adapter Style HALB (0.5-4in.) [Annex G]	23	Red Brass
Adapter Style HALGPS (0.5-12in.) [Annex G]	23	Plated Steel
Adapter Style HALPS (0.5-12in.) [Annex G]	23	Plated Steel
Adapter Style HALS (0.5-12in.) [Annex G]	23	Steel
Adapter Style HALSS (0.5-12in.) [Annex G]	23	Stainless Steel
Adapter Style HAPS (0.5-12in.) [Annex G]	23	Plated Steel
Adapter Style HAS (0.5-12in.) [Annex G]	23	Steel
Adapter Style HASS (0.5-12in.) [Annex G]	23	Stainless Steel
Adapter Style HEB (0.5-4in.) [Annex G]	23	Red Brass
Adapter Style HEGPS (0.5-6in.) [Annex G]	23	Plated Steel
Adapter Style HEGS (0.5-6in.) [Annex G]	23	Steel
Adapter Style HEGSS (0.75-6in.) [Annex G]	23	Stainless Steel
Adapter Style HEPS (0.5-6in.) [Annex G]	23	Plated Steel
Adapter Style HES (0.5-6in.) [Annex G]	23	Steel
Adapter Style HESS (0.75-6in.) [Annex G]	23	Stainless Steel
Adapter Style HRB (0.5-4in.) [Annex G]	23	Red Brass

Adapter Style HRGPS (0.5-6in.) [Annex G]	23	Plated Steel
Adapter Style HRGS (0.5-6in.) [Annex G]	23	Steel
Adapter Style HRGSS (0.5-6in.) [Annex G]	23	Stainless Steel
Adapter Style HRPS (0.5-6in.) [Annex G]	23	Plated Steel
Adapter Style HRS (0.5-6in.) [Annex G]	23	Steel
Adapter Style HRSS (0.5-6in.) [Annex G]	23	Stainless Steel
Adapter Style MAB (0.5-4in.) [Annex G]	23	Red Brass
Adapter Style MAS (0.5-6in.) [Annex G]	23	Plated Steel
Adapter Style MASS (0.5-6in.) [Annex G]	23	Stainless Steel
Adapter Style RAB (0.5-4in.) [Annex G]	23	Red Brass
Adapter Style RAS (0.5-6in.) [Annex G]	23	Plated Steel
Adapter Style RASS (0.5-6in.) [Annex G]	23	Stainless Steel
Adapter Style SAB (0.5-4in.) [Annex G]	23	Red Brass
Adapter Style SAS (0.5-6in.) [Annex G]	23	Plated Steel
Adapter Style SASS (0.5-6in.) [Annex G]	23	Stainless Steel
Adapter Style XB (0.5-4in.) [Annex G]	23	Red Brass
Adapter Style XS (0.5-6in.) [Annex G]	23	Plated Steel
Adapter Style XSS (0.5-6in.) [Annex G]	23	Stainless Steel
Adapter Style ZAB (1-1.25in.) [Annex G]	23	Red Brass
Adapter Style ZAS (1-1.25in.) [Annex G]	23	Plated Steel
Adapter Style ZBB (1-1.25in.) [Annex G]	23	Red Brass
Adapter Style ZBS (1-1.25in.) [Annex G]	23	Plated Steel
Coupling Style CB (0.5-4in.) [Annex G]	23	Red Brass
Coupling Style CS (0.5-6in.) [Annex G]	23	Plated Steel
Coupling Style CSS (0.75-6in.) [Annex G]	23	Stainless Steel
Coupling Style HCB (0.5-4in.) [Annex G]	23	Red Brass
Coupling Style HCLPS (0.5-12in.) [Annex G]	23	Plated Steel
Coupling Style HCLS (0.5-12in.) [Annex G]	23	Steel
Coupling Style HCLSS (0.75-12in.) [Annex G]	23	Stainless Steel
Coupling Style HCPS (0.5-12in.) [Annex G]	23	Plated Steel
Coupling Style HCS (0.5-12in.) [Annex G]	23	Steel
Coupling Style HCSS (0.75-12in.) [Annex G]	23	Stainless Steel
Coupling Style RCB (0.5-4in.) [Annex G]	23	Red Brass
Coupling Style RCS (0.5-6in.) [Annex G]	23	Plated Steel
Coupling Style RCSS (0.75-6in.) [Annex G]	23	Stainless Steel
Coupling Style XCB (0.5-4in.) [Annex G]	23	Red Brass
Coupling Style XCS (0.5-6in.) [Annex G]	23	Plated Steel
Coupling Style XCSS (0.75-6in.) [Annex G]	23	Stainless Steel
EI Style WLB (0.75-1.5in.) [Annex G]	23	Red Brass
EI Style WLS (0.75-1.5in.) [Annex G]	23	Plated Steel
Leg Style LEG (1in.) [Annex G]	23	Red Brass
Nipple Style NB (0.5-6in.) [Annex G]		

	23	Red Brass
Nipple Style NPS (0.5-6in.) [Annex G]	23	Plated Steel
Nipple Style NS (0.5-6in.) [Annex G]	23	Steel
Nipple Style NSS (0.5-6in.) [Annex G]	23	Stainless Steel
Venturi Style VFAB (0.75-2in.) [Annex G]	23	Red Brass
Venturi Style VFAS (0.75-2in.) [Annex G]	23	Plated Steel
Venturi Style VMAB (0.75-2in.) [Annex G]	23	Red Brass
Venturi Style VMAS (0.75-2in.) [Annex G]	23	Plated Steel
Venturi Style XVB (0.75-2in.) [Annex G]	23	Red Brass
Venturi Style XVS (0.75-2in.) [Annex G]	23	Plated Steel

[Annex G] - Denotes this product is also certified to Annex G of ANSI/NSF 61-2008, weighted average lead content  $\leq 0.25\%$ .

Last Updated on 2010-02-15

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2012 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2012 UL LLC".